

Laborwerte-Report

Erstellt: 07.05.2026 10:01

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
Anti-HBc-total	negativ		—
Anti-HBs	positiv		—
Anti-HBs quant	30		—
Anti-HCV	negativ		—
CRP	<5		—
Cholesterin total	6.4		—
HBs-Antigen	negativ		—
HDL-Cholesterin	1.38		—
HIV Ag/Ak Combo	negativ		—
LDL-Cholesterin	4.3		—
Phosphat	0.99		0.87–1.45
Triglyceride	1.66		—
non-HDL-Cholesterin	5.0		—

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
Albumin/Kreatinin Urin	<0.73		—
CRP	<5.0		—
Hämatokrit			35–50
Hämoglobin	12.0		12.0–16.5
IgG/Kreatinin Urin	<1.9		—
Ketokörper Urin	+		—
Kreatinin			—
Leukozyten			3.5–10.0
MCV			80–97
Protein/Kreatinin Urin	<14.6		—
Thrombozyten			150–390
Urobilinogen Urin	+		—
spez. Gewicht Urin	1009		—

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
ALT	17		–
Albumin	48		40–49
Alk. Phosphatase	66		40–130
Bilirubin gesamt	7		–
Cholesterin gesamt	5.6		–
GGT	18		–
HDL-Cholesterin	1.37		–
Harnstoff	4.3		2.14–7.14
Kalium	3.6		3.4–4.5
Kreatinin	97		62–106
LDL-Cholesterin	3.7		–
Natrium	138		136–145
Phosphat	0.54 ■		0.87–1.45
Proteine gesamt	77		60–80
Triglyceride	1.40		–
eGFR	84		–
non-HDL-Cholesterin	4.2		–

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
ALT	17		–
Albumin	48		40–49
Alk. Phosphatase	66		40–130
Bilirubin gesamt	7		–
Cholesterin gesamt	5.6		–
GGT	18		–
HDL-Cholesterin	1.37		–
Harnstoff	4.3		2.14–7.14
Kalium	3.6		3.4–4.5
Kreatinin	97		62–106
LDL-Cholesterin	3.7		–
Natrium	138		136–145
Phosphat	0.54 ■		0.87–1.45
Proteine gesamt	77		60–80
Triglyceride	1.40		–
eGFR	84		–
non-HDL-Cholesterin	4.2		–

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
ALT	17		–
Albumin	48		40–49
Alk. Phosphatase	66		40–130
Bilirubin gesamt	7		–
Cholesterin gesamt	5.6		–
GGT	18		–
HDL-Cholesterin	1.37		–
Harnstoff	4.3		2.14–7.14
Kalium	3.6		3.4–4.5
Kreatinin	97		62–106
LDL-Cholesterin	3.7		–
Natrium	138		136–145
Phosphat	0.54 ■		0.87–1.45
Proteine gesamt	77		60–80
Triglyceride	1.40		–
eGFR	84		–
non-HDL-Cholesterin	4.2		–

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
Dermatomykose PCR	Negativ		–

Laborwerte vom 2026-05-05

Parameter	Wert	Einheit	Referenz
CRP	9.8		–
D-Dimere	319		–
Hämoglobin	15.7		–
Kreatinin	98		–
Leukozyten	8.7		–

Laborwerte vom 2026-05-02

Parameter	Wert	Einheit	Referenz
-----------	------	---------	----------

C-reaktives Protein	16.9 None		—
Cholesterin	5.5 None		—
Glukose	6.3 None		—
LDL-Cholesterin	3.8 None		—

Laborwerte vom 2026-03-06

Parameter	Wert	Einheit	Referenz
Anti-HBc-total quant	2026-03-02 00:00:00 None		—
Anti-HBs quant	30.0 None		—
Anti-HCV-IgG quant	0.05 None		—
C-Reaktives Protein (CRP)	0.8 None		—
Cholesterin gesamt	2026-04-06 00:00:00 None		—
HDL-Cholesterin	1.38 None		—
HIV Ag/Ak Comboquant	0.23 None		—
LDL-Cholesterin	2026-03-04 00:00:00 None		—
Non-HDL-Cholesterin Sampson	5.0 None		—
Phosphat	0.99 None		—
Triglyceride	1.66 None		—

Laborwerte vom 2026-01-28

Parameter	Wert	Einheit	Referenz
Albumin	<14.6 None		—
Albumin/Kreatinin	<0.73 None		—
Ery (isomorph)	7.0 None		—
IgG	<7.9 None		—
IgG/Kreatinin	<1.9 None		—
Leukozyten	1.0 None		—
Methode	0.0 None		—
Mikroglobulin/Kreatinin	<1.0 None		—
Plattenepithelien	0.0 None		—
Spezifisches Gewicht	1006.0 None		—
Urobilinogen	Plus None		—
a-1-Mikroglobulin	<4.3 None		—
pH	6.0 None		—

Laborwerte vom 2025-12-29

Parameter	Wert	Einheit	Referenz
ALAT (GPT)	17 None		—
Albumin	48 None		—
Alk. Phosphatase	66 None		—
Bilirubin	7 None		—
Bilirubin gesamt	7 None		—
Cholesterin gesamt	5.6 None		—
GGT	18 None		—
HDL-Cholesterin	1.37 None		—
Harnstoff	4.3 None		—
Kalium	3.6 None		—
Kreatinin	97 None		—
LDL-Cholesterin	3.7 None		—
Natrium	138 None		—
Non-HDL-Cholesterin Sampson	4.2 None		—
Phosphat	0.54 None		—
Protein	77 None		—
Triglyceride	1.40 None		—
eGFR (Niere)	84 None		—

Laborwerte vom 2025-09-20

Parameter	Wert	Einheit	Referenz
ASAT (GOT)	19 None		—
C-Reaktives Protein (CRP)	9.8 None		—
Calcium	2.47 None		—
D-Dimer	319 None		—
Erythrozyten	5.18 None		—
Glukose	5.3 None		—
Hämatokrit	45 None		—
Hämoglobin	15.7 None		—
Kalium	4.4 None		—
Kreatinin	93 None		—
Leukozyten	8.68 None		—
MCH	30 None		—
MCV	87 None		—
Natrium	137 None		—
Thrombozyten	272 None		—

eGFR (Niere)	89 None		—
--------------	---------	--	---

Laborwerte vom 2025-09-14

Parameter	Wert	Einheit	Referenz
C-Reaktives Protein (CRP)	24.6 None		—
D-Dimer	313 None		—
Erythrozyten	4.90 None		—
Hämatokrit	43.2 None		—
Hämoglobin	14.6 None		—
Leukozyten	9.7 None		—
MCH	29.7 None		—
MCV	88.1 None		—
Thrombozyten	237 None		—

Laborwerte vom 2025-08-27

Parameter	Wert	Einheit	Referenz
APC-Resistenz	5.3 None		—
Antithrombin III	110 None		—
Auto-Antikörper*	< 20 (neg) None		—
C-Reaktives Protein (CRP)	2.1 None		—
D-Dimer	< 150 None		—
Erythrozyten	5.09 None		—
Faktor VIII	206 None		—
Fibrinogen	3.5 None		—
Glukose	5.3 None		—
Homocystein	9.8 None		—
Hämatokrit	45 None		—
Hämoglobin	15.3 None		—
INR	1.0 None		—
LMW-Heparin (Anti-Xa)	0.05 None		—
Leukozyten	5.35 None		—
MCH	30 None		—
MCV	88 None		—
Protein C (Akt.)	146 None		—
Protein S (Akt.)	113 None		—
Protein S (frei)	115 None		—
Quick	99 None		—

Thrombin/AT-Komplex	5.4 None		—
Thrombozyten	217 None		—
aPTT	31.7 None		—

Laborwerte vom 2025-06-18

Parameter	Wert	Einheit	Referenz
C-Reaktives Protein (CRP)	9.3 None		—
Erythrozyten	4.89 None		—
Hämatokrit	44.2 None		—
Hämoglobin	14.9 None		—
Kreatinin	81 None		—
Leukozyten	6.4 None		—
MCH	33.6 None		—
MCV	90.4 None		—
Thrombozyten	230 None		—
eGFR (Niere)	105 None		—

Laborwerte vom 2025-05-13

Parameter	Wert	Einheit	Referenz
C-Reaktives Protein (CRP)	16.9 None		—
Cholesterin gesamt	5.5 None		—
Eisen	12.9 None		—
Erythrozyten	5.25 None		—
Ferritin	216 None		—
Folsäure	13.3 None		—
Glukose	6.3 None		—
HDL-Cholesterin	1.4 None		—
Harnstoff	314 (Harns.) None		—
HbA1c	5.4 None		—
Homocystein	11.5 None		—
Hämatokrit	48 None		—
Hämoglobin	16.2 None		—
Kreatinin	101 None		—
LDL-Cholesterin	3.8 None		—
Leukozyten	8.9 None		—
MCH	30.8 None		—
MCV	91.7 None		—

Non-HDL-Cholesterin Sampson	4.1 None		—
TSH	1.52 None		—
Testosteron	21.9 None		—
Thrombozyten	248 None		—
Triglyceride	1.1 None		—
Vitamin B12 (Active)	77 None		—
Vitamin D (25-OH)	99 None		—
eGFR (Niere)	80 None		—
fT3	5.1 None		—
fT4	15.0 None		—

Laborwerte vom 2021-06-15

Parameter	Wert	Einheit	Referenz
EBV EBNA-1-IgG	> 8.0 None		—
EBV VCA-IgM	1.0 None		—

Laborwerte vom 2021-06-11

Parameter	Wert	Einheit	Referenz
ALAT (GPT)	31 None		—
ASAT (GOT)	77 None		—
Alk. Phosphatase	60 None		—
Bilirubin gesamt	17.7 None		—
C-Reaktives Protein (CRP)	1.1 None		—
Cholesterin gesamt	5.2 None		—
EBV EBNA-1-IgG	> 8.0 None		—
Erythrozyten	5.4 None		—
GGT	16 None		—
HDL-Cholesterin	1.51 None		—
Hämatokrit	49 None		—
Hämoglobin	16.2 None		—
LDL-Cholesterin	3.61 None		—
Leukozyten	6.0 None		—
MCH	30 None		—
MCV	91 None		—
Non-HDL-Cholesterin Sampson	3.69 None		—
Thrombozyten	248 None		—
Triglyceride	1.39 None		—